



The world's favourite lock since **1843**

Security Doors





Security Doors

Door sizes and openings

Door opening/handing

Inside

LO

RO

RI

LI



Outside

Left Outside

Right Outside

Right Inside



Left Inside

Door and wall opening sizes

Door type	Size	Door opening size	Wall to wall size (H x W)
Single Door	2050mm x 950mm	1923 x 809mm	2080x990mm
One & Half Leaf Door	2050mm x 1200mm	1923 x 1059mm	2080x1240mm
Double Door	2050mm x 1650mm	1923 x 1509mm	2080x1690mm

Door size and opening

Wall to wall







Security Doors

Door leaf designs & finishes


Door leaf designs




00



01




06




09


Finishes:




9103



9453



9458




9460






Security Doors Single Leaf Door


Front View




Vertical Section




Horizontal Section



Frame Section




Door
Opening






Security Doors One & Half Leaf Door


Front View




Vertical Section




Horizontal Section



Frame Section




Door Opening






Security Doors Double Doors


Front View




Vertical Section




Horizontal Section



Frame Section



Door Opening



Security Door

Single Leaf - Plain panel design



Specification

- Galvanized steel construction door leaf and frame
- Door size 2050x950mm with clear opening of 1920x809mm
- Wall to wall fixing dimensions 2080x990mm
- Door leaf thickness 52mm
- Flame retardant polyurethane in-fill
- Wood effect paint finish
- Fixed matching threshold 56mm high
- Rubber weather seal around door leaf and frame
- Multi-point lock with 9 locking points
- Additional fixed bolt on hinge side
- Stainless steel hinges
- High security cylinder
- Security handle set
- Door Viewer

Features

- Inward or outward opening options
- Left or right hand opening must be specified.
- Choice of colours
- UV protected paint suitable for outdoor use
- Cylinder with 2 construction keys and 5 owner keys and security card
- Stainless steel AISI 304 handle set



	
65-PP-100P-00-9453-LO	Design ref. 00, colour ref. 9453, left hand outward opening
65-PP-100P-00-9453-RO	Design ref. 00, colour ref. 9453, right hand outward opening
65-PP-100P-00-9453-RI	Design ref. 00, colour ref. 9453, right hand inward opening
65-PP-100P-00-9453-LI	Design ref. 00, colour ref. 9453, left hand inward opening
65-PP-100P-00-9460-LO	Design ref. 00, colour ref. 9460, left hand outward opening
65-PP-100P-00-9460-RO	Design ref. 00, colour ref. 9460, right hand outward opening
65-PP-100P-00-9460-RI	Design ref. 00, colour ref. 9460, right hand inward opening
65-PP-100P-00-9460-LI	Design ref. 00, colour ref. 9460, left hand inward opening

Security Door

Single Leaf - Six panel design



Specification

- Galvanized steel construction door leaf and frame
- Door size 2050x950mm with clear opening of 1920x809mm
- Wall to wall fixing dimensions 2080x990mm
- Door leaf thickness 52mm
- Flame retardant polyurethane in-fill
- Wood effect paint finish
- Fixed matching threshold 56mm high
- Rubber weather seal around door leaf and frame
- Multi-point lock with 9 locking points
- Additional fixed bolt on hinge side
- Stainless steel hinges
- High security cylinder
- Security handle set
- Door Viewer

Features

- Inward or outward opening options
- Left or right hand opening must be specified.
- Choice of colours
- UV protected paint suitable for outdoor use
- Cylinder with 2 construction keys and 5 owner keys and security card
- Stainless steel AISI 304 handle set



	
65-PP-100P-01-9103-LO	Design ref. 01, colour ref. 9103, left hand outward opening
65-PP-100P-01-9103-RO	Design ref. 01, colour ref. 9103, right hand outward opening
65-PP-100P-01-9103-RI	Design ref. 01, colour ref. 9103, right hand inward opening
65-PP-100P-01-9103-LI	Design ref. 01, colour ref. 9103, left hand inward opening
65-PP-100P-01-9453-LO	Design ref. 01, colour ref. 9453, left hand outward opening
65-PP-100P-01-9453-RO	Design ref. 01, colour ref. 9453, right hand outward opening
65-PP-100P-01-9453-RI	Design ref. 01, colour ref. 9453, right hand inward opening
65-PP-100P-01-9453-LI	Design ref. 01, colour ref. 9453, left hand inward opening
65-PP-100P-01-9458-LO	Design ref. 01, colour ref. 9458, left hand outward opening
65-PP-100P-01-9458-RO	Design ref. 01, colour ref. 9458, right hand outward opening
65-PP-100P-01-9458-RI	Design ref. 01, colour ref. 9458, right hand inward opening
65-PP-100P-01-9458-LI	Design ref. 01, colour ref. 9458, left hand inward opening
65-PP-100P-01-9460-LO	Design ref. 01, colour ref. 9460, left hand outward opening
65-PP-100P-01-9460-RO	Design ref. 01, colour ref. 9460, right hand outward opening
65-PP-100P-01-9460-RI	Design ref. 01, colour ref. 9460, right hand inward opening
65-PP-100P-01-9460-LI	Design ref. 01, colour ref. 9460, left hand inward opening

Security Door Single Leaf - Decorative panel design



Specification

- Galvanized steel construction door leaf and frame
- Door size 2050x950mm with clear opening of 1920x809mm
- Wall to wall fixing dimensions 2080x990mm
- Door leaf thickness 52mm
- Flame retardant polyurethane in-fill
- Wood effect paint finish
- Fixed matching threshold 56mm high
- Rubber weather seal around door leaf and frame
- Multi-point lock with 9 locking points
- Additional fixed bolt on hinge side
- Stainless steel hinges
- High security cylinder
- Security handle set
- Door Viewer

Features

- Inward or outward opening options
- Left or right hand opening must be specified.
- Choice of colours
- UV protected paint suitable for outdoor use
- Cylinder with 2 construction keys and 5 owner keys and security card
- Stainless steel AISI 304 handle set



	
65-PP-100P-06-9103-LO	Design ref. 06, colour ref. 9103, left hand outward opening
65-PP-100P-06-9103-RO	Design ref. 06, colour ref. 9103, right hand outward opening
65-PP-100P-06-9103-RI	Design ref. 06, colour ref. 9103, right hand inward opening
65-PP-100P-06-9103-LI	Design ref. 06, colour ref. 9103, left hand inward opening
65-PP-100P-06-9453-LO	Design ref. 06, colour ref. 9453, left hand outward opening
65-PP-100P-06-9453-RO	Design ref. 06, colour ref. 9453, right hand outward opening
65-PP-100P-06-9453-RI	Design ref. 06, colour ref. 9453, right hand inward opening
65-PP-100P-06-9453-LI	Design ref. 06, colour ref. 9453, left hand inward opening
65-PP-100P-06-9458-LO	Design ref. 06, colour ref. 9458, left hand outward opening
65-PP-100P-06-9458-RO	Design ref. 06, colour ref. 9458, right hand outward opening
65-PP-100P-06-9458-RI	Design ref. 06, colour ref. 9458, right hand inward opening
65-PP-100P-06-9458-LI	Design ref. 06, colour ref. 9458, left hand inward opening
65-PP-100P-06-9460-LO	Design ref. 06, colour ref. 9460, left hand outward opening
65-PP-100P-06-9460-RO	Design ref. 06, colour ref. 9460, right hand outward opening
65-PP-100P-06-9460-RI	Design ref. 06, colour ref. 9460, right hand inward opening
65-PP-100P-06-9460-LI	Design ref. 06, colour ref. 9460, left hand inward opening

Security Door

Single Leaf - Ten panel design



Specification

- Galvanized steel construction door leaf and frame
- Door size 2050x950mm with clear opening of 1920x809mm
- Wall to wall fixing dimensions 2080x990mm
- Door leaf thickness 52mm
- Flame retardant polyurethane in-fill
- Wood effect paint finish
- Fixed matching threshold 56mm high
- Rubber weather seal around door leaf and frame
- Multi-point lock with 9 moving bolts
- Additional fixed bolt on hinge side
- Stainless steel hinges
- High security cylinder
- Security handle set
- Door Viewer

Features

- Inward or outward opening options
- Left or right hand opening must be specified.
- Choice of colours
- UV protected paint suitable for outdoor use
- Cylinder with 2 construction keys and 5 owner keys and security card
- Stainless steel AISI 304 handle set



	
65-PP-100P-09-9453-LO	Design ref. 09, colour ref. 9453, left hand outward opening
65-PP-100P-09-9453-RO	Design ref. 09, colour ref. 9453, right hand outward opening
65-PP-100P-09-9453-RI	Design ref. 09, colour ref. 9453, right hand inward opening
65-PP-100P-09-9453-LI	Design ref. 09, colour ref. 9453, left hand inward opening
65-PP-100P-09-9460-LO	Design ref. 09, colour ref. 9460, left hand outward opening
65-PP-100P-09-9460-RO	Design ref. 09, colour ref. 9460, right hand outward opening
65-PP-100P-09-9460-RI	Design ref. 09, colour ref. 9460, right hand inward opening
65-PP-100P-09-9460-LI	Design ref. 09, colour ref. 9460, left hand inward opening

Security Door One & Half Leaf



Specification

- Galvanized steel construction door leaf and frame
- Door size 2050x1200mm with clear opening of 1923x1059mm
- Wall to wall fixing dimensions 2080x1240mm
- Door leaf thickness 52mm
- Flame retardant polyurethane in-fill
- Wood effect paint finish
- Fixed matching threshold 56mm high
- Rubber weather seal around door leaf and frame
- Multi-point lock with 9 locking points
- Additional fixed bolt on hinge side
- Stainless steel hinges
- High security cylinder
- Security handle set
- Door Viewer

Features



- Inward or outward opening options
- Left or right hand opening must be specified.
- Choice of colours
- UV protected paint suitable for outdoor use
- Cylinder with 2 construction keys and 5 owner keys and security card
- Stainless steel AISI 304 handle set



	
65-PP-500P-00-9453-LO	Design ref. 00, colour ref. 9453, left hand outward opening
65-PP-500P-00-9453-RO	Design ref. 00, colour ref. 9453, right hand outward opening
65-PP-500P-00-9453-RI	Design ref. 00, colour ref. 9453, right hand inward opening
65-PP-500P-00-9453-LI	Design ref. 00, colour ref. 9453, left hand inward opening
65-PP-500P-00-9460-LO	Design ref. 00, colour ref. 9460, left hand outward opening
65-PP-500P-00-9460-RO	Design ref. 00, colour ref. 9460, right hand outward opening
65-PP-500P-00-9460-RI	Design ref. 00, colour ref. 9460, right hand inward opening
65-PP-500P-00-9460-LI	Design ref. 00, colour ref. 9460, left hand inward opening
65-PP-500P-01-9453-LO	Design ref. 01, colour ref. 9453, left hand outward opening
65-PP-500P-01-9453-RO	Design ref. 01, colour ref. 9453, right hand outward opening
65-PP-500P-01-9453-RI	Design ref. 01, colour ref. 9453, right hand inward opening
65-PP-500P-01-9453-LI	Design ref. 01, colour ref. 9453, left hand inward opening
65-PP-500P-01-9458-LO	Design ref. 01, colour ref. 9458, left hand outward opening
65-PP-500P-01-9458-RO	Design ref. 01, colour ref. 9458, right hand outward opening
65-PP-500P-01-9458-RI	Design ref. 01, colour ref. 9458, right hand inward opening
65-PP-500P-01-9458-LI	Design ref. 01, colour ref. 9458, left hand inward opening
65-PP-500P-01-9460-LO	Design ref. 01, colour ref. 9460, left hand outward opening
65-PP-500P-01-9460-RO	Design ref. 01, colour ref. 9460, right hand outward opening
65-PP-500P-01-9460-RI	Design ref. 01, colour ref. 9460, right hand inward opening
65-PP-500P-01-9460-LI	Design ref. 01, colour ref. 9460, left hand inward opening



Security Door One & Half Leaf

	
65-PP-500P-06-9453-LO	Design ref. 06, colour ref. 9453, left hand outward opening
65-PP-500P-06-9453-RO	Design ref. 06, colour ref. 9453, right hand outward opening
65-PP-500P-06-9453-RI	Design ref. 06, colour ref. 9453, right hand inward opening
65-PP-500P-06-9453-LI	Design ref. 06, colour ref. 9453, left hand inward opening
65-PP-500P-06-9460-LO	Design ref. 06, colour ref. 9460, left hand outward opening
65-PP-500P-06-9460-RO	Design ref. 06, colour ref. 9460, right hand outward opening
65-PP-500P-06-9460-RI	Design ref. 06, colour ref. 9460, right hand inward opening
65-PP-500P-06-9460-LI	Design ref. 06, colour ref. 9460, left hand inward opening
65-PP-500P-09-9453-LO	Design ref. 09, colour ref. 9453, left hand outward opening
65-PP-500P-09-9453-RO	Design ref. 09, colour ref. 9453, right hand outward opening
65-PP-500P-09-9453-RI	Design ref. 09, colour ref. 9453, right hand inward opening
65-PP-500P-09-9453-LI	Design ref. 09, colour ref. 9453, left hand inward opening
65-PP-500P-09-9460-LO	Design ref. 09, colour ref. 9460, left hand outward opening
65-PP-500P-09-9460-RO	Design ref. 09, colour ref. 9460, right hand outward opening
65-PP-500P-09-9460-RI	Design ref. 09, colour ref. 9460, right hand inward opening
65-PP-500P-09-9460-LI	Design ref. 09, colour ref. 9460, left hand inward opening

Security Door Double Leaf



Specification

- Galvanized steel construction door leaf and frame
- Door size 2050x1650mm with clear opening of 1923x1509mm
- Wall to wall fixing dimensions 2080x1690mm
- Door leaf thickness 52mm
- Flame retardant polyurethane in-fill
- Wood effect paint finish
- Fixed matching threshold 56mm high
- Rubber weather seal around door leaf and frame
- Multi-point lock with 9 locking points
- Additional fixed bolt on hinge side
- Stainless steel hinges
- High security cylinder
- Security handle set
- Matching fixed handle set for passive door
- Door Viewer



Features

- Inward or outward opening options
- Left or right hand opening must be specified.
- Choice of colours
- UV protected paint suitable for outdoor use
- Cylinder with 2 construction keys and 5 owner keys and security card
- Stainless steel AISI 304 handle set

	
65-PP-200P-01-9458-LO	Design ref. 01, colour ref. 9458, left hand outward opening
65-PP-200P-01-9458-RO	Design ref. 01, colour ref. 9458, right hand outward opening
65-PP-200P-01-9458-RI	Design ref. 01, colour ref. 9458, right hand inward opening
65-PP-200P-01-9458-LI	Design ref. 01, colour ref. 9458, left hand inward opening
65-PP-200P-01-9460-LO	Design ref. 01, colour ref. 9460, left hand outward opening
65-PP-200P-01-9460-RO	Design ref. 01, colour ref. 9460, right hand outward opening
65-PP-200P-01-9460-RI	Design ref. 01, colour ref. 9460, right hand inward opening
65-PP-200P-01-9460-LI	Design ref. 01, colour ref. 9460, left hand inward opening
65-PP-200P-06-9453-LO	Design ref. 06, colour ref. 9453, left hand outward opening
65-PP-200P-06-9453-RO	Design ref. 06, colour ref. 9453, right hand outward opening
65-PP-200P-06-9453-RI	Design ref. 06, colour ref. 9453, right hand inward opening
65-PP-200P-06-9453-LI	Design ref. 06, colour ref. 9453, left hand inward opening